6J/

	Application No.	Applicant(s)
Notice of Allowability	10/711,971	KAPOOR ET AL.
	Examiner	Art Unit
	Thuan Do	2825
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>07/06/2006</u> .		
2. The allowed claim(s) is/are <u>1-37</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the</li> </ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) $\square$ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	C. T. Nation of Informal D	atout Application (DTO 450)
<ol> <li>Notice of References Cited (PTO-992)</li> <li>Divide of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		atent Application (PTO-152)
	Paper No./Mail Date	ė
<ol> <li>Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10/15/2004</li> </ol>	8), 7. Examiner's Amendm	ient/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	_	nt of Reasons for Allowance
	9. Other	
	•	

Application/Control Number: 10/711,971

Art Unit: 2825

### **DETAILED ACTION**

1. This allowance is responsive to the restriction election received on 07/06/2006. Claims 1-36 are allowed. Claims 37-41 are canceled.

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be acceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

### **TO CLAIMS**

Authorization for this examiner's amendment was given in a telephone interview with Kelly Hyndman and resulted on telephone recorder on 07/16/2006 to cancel the non-elected claims 37-41.

# Allowable Subject Matter

2. Claims 1-36 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach specifying a plurality of voltage constraints, defining at least one pair of voltage domains in the design and at least one level shifter cell and for each pair of voltage domains, checking whether a signal crossing the voltage domains is connected to a level shifter with the combination of all other features corresponding to each independent claim.

Art Unit: 2825

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### **CONTACT INFORMATION**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thuan Do whose telephone number is 571-272-1891. The examiner can normally be reached on Monday-Friday 8:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Chiang can be reached on 571-272-7483. The fax phone numbers for proceeding this application is 571 273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 800-786-9199.

Thuan Do

Primary examiner

Mundo

07/21/2006